



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sika Concrete Primer (B)  
Registration number : 01-2119899874-11-XXXX  
Substance name : 1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene)  
Substance No. : 173904-11-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use : Concrete protection and repair system.

### 1.3 Details of the supplier of the safety data sheet

Company : Sika Limited  
Watchmead  
Welwyn Garden City  
Hertfordshire AL7 1BQ  
United Kingdom  
Telephone : +44 (0)1707 394444

### 1.4 Emergency telephone number

Emergency telephone number : +44 (0)1707 363899 (available during office hours)

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Type of product : Substance

#### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1C	H314: Causes severe skin burns and eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

#### Classification (67/548/EEC, 1999/45/EC)

Corrosive R34: Causes burns.

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

Sensitising R43: May cause sensitisation by skin contact.  
Dangerous for the environment R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.

**2.3 Other hazards**

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).  
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Chemical nature : Amines

Chemical Name	CAS-No. EINECS-No. / ELINCS No.	Concentration [%]
1,3-Cyclohexanedimethanamine, N1,N3-bis(2-	173904-11-5 01-2119899874-11-XXXX	>= 50 - <= 100



| methylpropylidene) |

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |   |
|-------------------------|---|
| General advice          | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.   |
| If inhaled              | : Move to fresh air.<br>Consult a physician after significant exposure.   |
| In case of skin contact | : Take off contaminated clothing and shoes immediately.<br>Wash off with soap and plenty of water.<br>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  |
| In case of eye contact  | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing. |
| If swallowed            | : Clean mouth with water and drink afterwards plenty of water.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Take victim immediately to hospital.   |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |  |
|----------|--|
| Symptoms | : Allergic reactions<br>Dermatitis<br>See Section 11 for more detailed information on health effects and symptoms. |
| Risks    | : Health injuries may be delayed.<br>corrosive effects<br>sensitising effects                                      |

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |
|------------------------------|---|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local cir- |
|------------------------------|---|



cumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid exceeding of the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Store in accordance with local regulations.
- Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

- Specific use(s) : No data available

---

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**8.2 Exposure controls**

**Personal protective equipment**

- Eye protection : Safety glasses with side-shields  
Eye wash bottle with pure water  
Wear eye/face protection.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
- Suitable for short time use or protection against splashes:  
Butyl rubber/nitrile rubber gloves (0,4 mm),  
Contaminated gloves should be removed.  
Suitable for permanent exposure:  
Viton gloves (0.4 mm),  
breakthrough time >30 min.
- Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection : No special measures required.

**Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

---

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : light yellow  
Odour : amine-like  
Odour Threshold : No data available  
Flash point : 81 °C  
Ignition temperature : not applicable  
Lower explosion limit (Vol%) : No data available  
Upper explosion limit (Vol%) : No data available  
Flammability (solid, gas) : No data available  
Oxidizing properties : No data available  
Auto-ignition temperature : No data available  
pH : Note: not applicable  
Melting point/range / Freezing point : No data available  
Boiling point/boiling range : ca. 232 °C  
Vapour pressure : No data available  
Density : ca. 0,9 g/cm<sup>3</sup> at 20 °C  
Water solubility : Note: insoluble  
Partition coefficient: n- : No data available

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

octanol/water  
Viscosity, dynamic : No data available  
  
Viscosity, kinematic : > 7 mm<sup>2</sup>/s  
at 40 °C  
  
Relative vapour density : ca.1  
  
Evaporation rate : No data available  
  
Self-Ignition Temperature : 239 °C

**9.2 Other information**

No data available

---

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

The product is chemically stable.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Stable under recommended storage conditions.

**10.4 Conditions to avoid**

Conditions to avoid : No data available

**10.5 Incompatible materials**

Materials to avoid : No data available

**10.6 Hazardous decomposition products**

---

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

**Components:**

**1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene) :**

Acute oral toxicity : LD50 Oral rat: > 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 2.000 mg/kg

**Skin corrosion/irritation**

**Product**

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

Causes severe skin burns and eye damage.

**Serious eye damage/eye irritation**

**Product**

No data available

**Respiratory or skin sensitisation**

**Product**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

**Product**

Mutagenicity : No data available

**Carcinogenicity**

**Product**

Carcinogenicity : No data available

**Reproductive Toxicity/Fertility**

Reproductive toxicity : No data available

No data available

**Reproductive Toxicity/Development/Teratogenicity**

Teratogenicity : No data available

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Components:**



SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

**1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene) :**

- Toxicity to fish : LC50: 68,79 mg/l, 96 h, Fish  
Toxicity to daphnia and other aquatic invertebrates : EC50: 68,79 mg/l, 48 h, Daphnia  
Toxicity to algae : 14,8 mg/l, 72 h, Desmodesmus subspicatus (green algae)

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

**Product:**

- Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

- Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- European Waste Catalogue : 08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances
- Contaminated packaging : 15 01 10\* packaging containing residues of or contaminated by dangerous substances



---

## SECTION 14: Transport information

### ADR

14.1 UN number	: 3066
14.2 Description of the goods	: PAINT RELATED MATERIAL
14.3 Class	: 8
14.4 Packing group	: III
Classification Code	: C9
Labels	: 8
Tunnel restriction code	: (E)
14.5 Environmentally hazardous	: no

### ADR

Transport according to chapter 3.4 (LQ) possible

### IATA

14.1 UN number	: 3066
14.2 Description of the goods	: Paint related material
14.3 Class	: 8
14.4 Packing group	: III
Labels	: 8
14.5 Environmentally hazardous	: no

### IMDG

14.1 UN number	: 3066
14.2 Description of the goods	: PAINT RELATED MATERIAL
14.3 Class	: 8
14.4 Packing group	: III
Labels	: 8
EmS Number 1	: F-A
EmS Number 2	: S-B
14.5 Marine pollutant	: no

### 14.6 Special precautions for user

No data available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Labelling according to EC Directives (1999/45/EC)

Hazard pictograms :

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014



Corrosive

R-phrases(s)	: R34 R43 R52/53	Causes burns. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases(s)	: S26  S36/37/39  S45	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazardous components which must be listed on the label:

- 1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene)

**Prohibition/Restriction**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : None of the components are listed (=> 0.1 %).

REACH - List of substances subject to authorisation (Annex XIV) : not applicable

REACH Information: All substances contained in our Products are  
- preregistered or registered by our upstream suppliers, and/or  
- preregistered or registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

VOC-CH (VOCV) : no VOC duties

VOC-EU (solvent) : not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: : The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002  
Control of Substances Hazardous to Health Regulations 2002  
The Management of Health and Safety at Work Regulations 1999  
Health and Safety at Work Act 1974

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006  
**Sika Concrete Primer (B)**



Revision Date 30.06.2014

Print Date 30.06.2014

Environmental Protection Act 1990 & Subsidiary Regulations

### 15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

---

### SECTION 16: Other information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

|| Changes as compared to previous version !