


# Sika Liquid Plastics Versirail® Freestanding Roof Edge Protection System

<b>Product Description</b>	<p>Sika Liquid Plastics Versirail® is a free standing roof edge protection system that provides a minimum edge protection height of 1100mm, which assists in preventing falls from height and meeting regulation requirements.</p> <p>The Sika Liquid Plastics Versirail® Freestanding Roof Edge Protection System utilises a shoe for the foot of the upright that is fully compatible and protects the Sika Liquid Plastics roof membrane.</p> <p>The upright is available curved, inclined, straight and folding.</p>
<b>Uses</b>	<ul style="list-style-type: none"><li>■ Reducing the potential of falls from height</li><li>■ To be used in conjunction with Sika Liquid Plastics liquid applied roofing systems</li></ul>
<b>Characteristics / Advantages</b>	<p>Non penetrative – no need to drill or penetrate the roof</p> <p>Compatible Sika Liquid Plastics liquid applied roofing systems</p> <p>Lightweight 30% lighter compared to traditional steel systems</p> <p>Durable aluminium, corrosion-resistant construction</p> <p>Versatile – can be designed for any flat roof plan</p> <p>Fully weatherproof</p> <p>Recyclable</p>
<b>Approval / Standards/Limitations</b>	<ul style="list-style-type: none"><li>■ The Sika Liquid Plastics Versirail® Freestanding Roof Edge Protection System is designed in accordance with BS EN ISO 14122-3 and BS EN 13374 as a Class A protection system.</li></ul>
<b>Material/Appearance / Colours</b>	<p>Rail &amp; Upright Material: Aluminium Alloys</p> <p>Rail &amp; Upright Surface: Metallic silver</p> <p>Shoe Colours: TPE (Thermoplastic Elastomer) Shoe variant - Grey</p> <p>Counterbalance weight: Concrete filled grey HDPE with UV protection</p>




**Dimensions**


Straight upright:



Inclined Upright:



Curved Upright:



## System Information

**System Structure** Sika Liquid Plastics liquid applied roofing systems– Freestanding Sika Liquid Plastics Versirail® - TPE Shoe variant

## Application Details

### Application Conditions / Limits

**Application** Ensure that the liquid applied membrane is fully cured prior to the application of Sika Liquid Plastics' Versirail®. Refer to the relevant product datasheet for more information.

**Limitations**

- The Sika Liquid Plastics Versirail® Freestanding Roof Edge Protection System is to be used on flat roof applications only up to a 10° pitch.
- The Sika Liquid Plastics Versirail® Freestanding Roof Edge Protection System is only to be used to provide edge protection for people working at height under no circumstances may it be used as an anchor, lifting or abseiling point

## Installation Instructions

**Notes on Installation / Limits** Installation works must be carried out only by Latchways plc Approved Installers. Contact Sika Liquid Plastics for more information.

Special measures may be compulsory for installation below +5°C ambient temperature due to safety requirements in accordance with national regulations.

<b>Value Base</b>	All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.
<b>Local Restrictions</b>	Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.
<b>Ecology, Health and Safety Information</b>	The product does not fall within the EC-regulation of hazardous goods. As a result, a material safety data sheet following EC-Guideline 91/155 EWG is not needed to bring the product to the market, transport or use it. The product does not damage the environment when used as specified.
<b>Protective Measures</b>	Local safety regulations must be observed.
<b>Transportation Class</b>	The product is not classified as hazardous good for transport.
<b>Disposal</b>	The material is recyclable. Any disposal must be in accordance with regulatory guidelines.

## General Information

<b>Specification Assistance</b>	NBS is the industry standard specification system, which allows architects, specifiers and engineers to insert clauses into specifications by manufacturer and product, making the process quicker and more efficient. We are members of NBS Plus and therefore detailed up-to-date product information is readily available to create accurate specifications.
---------------------------------	---

<b>Disclaimer</b>	The information, and, in particular, the recommendations relating to the application and end- use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.
-------------------	---

<b>Contact Details</b>	For further information please contact:
------------------------	---

Sika Liquid Plastics  
Sika House  
Miller Street  
Preston  
Lancashire  
PR1 1EA

Enquiry line: +44 (0)1772 259781  
Fax: +44 (0)1772 255670  
e-mail: [liquidplastics@uk.sika.com](mailto:liquidplastics@uk.sika.com)  
Website: [www.liquidplastics.co.uk](http://www.liquidplastics.co.uk)

Registered office: Sika Ltd, Watchmead, Welwyn Garden City, Hertfordshire, AL7 1BQ  
Registered in England: 226822

